

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(field near reorder\$3) same (object near split\$4) same (object near merg\$3) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:29
S2	0	(field near reorder\$3) and (object near split\$4) and (object near merg\$3) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:29
S3	0	(field same reorder\$3) and (object same split\$4) and (object same merg\$3) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:42
S4	530	(object same split\$4) and (object same merg\$3) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:42
S5	30	(object near split\$4) and (object near merg\$3) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:42
S6	0	(object near split\$4) and (object near merg\$3) and cache and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:43
S8	4	(object near split\$4) and (object near merg\$3) and (object near access\$2) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/30 16:43

EAST Search History

S9	17	(object near split\$4) and (object near merg\$3) and trac\$2 and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:21
S10	0	(object near split\$4) and (object near merg\$3) and trac\$2 and heap and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:22
S11	0	(object near split\$4) and (object near merg\$3) and cache and heap and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:22
S12	0	(object near split\$4) and (object near merg\$3) and cache and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:22
S13	26	(object near split\$4) and (object near merg\$3) and memory and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:22
S14	19	(object near split\$4) and (object near merg\$3) and access\$3 and memory and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:25
S15	8	((object near split\$4) or (object near merg\$3)) and heap and access\$3 and memory and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:27
S16	9	((object near split\$4) or (object near merg\$3)) and heap and (code or program) and memory and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:29

EAST Search History

S17	11	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and heap and (code or program) and memory and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:30
S18	11	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and heap and (code or program) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:33
S19	80	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and allocatio\$2 and (code or program) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:34
S20	17	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and (memory near allocatio\$2) and (code or program) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:40
S21	6	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and (cache near performan\$2) and (code or program) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:40
S22	6	((object near split\$4) or (object near merg\$3) or (field near reorder\$3)) and (cache near performanc\$2) and (code or program) and (@ad<"20030425" or @rlad<"20030425" or @prad<"20030425")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/19 13:40